

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2666443	plurality	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 09:35
L2	1431441	multiple	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 09:37
L3	4852	voltage adj lines	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 09:37
L4	23855	voltage adj line\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 09:37
L5	59748	power adj line\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 09:41
L6	504	1 near 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 09:42
L7	62	6 and LED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:01
L8	142	6 and display	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:51
L9	49	6 and pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:02

L10	27187	light adj emitting adj device	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:52
L11	265604	pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:53
L12	3186	10 and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:53
L13	5676	sub adj pixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:54
L14	2724	subpixel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 10:54
L15	175	10 and 13	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:41
L16	0	6 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:43
L17	175	10 and 15	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:44
L18	175	11 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:44
L19	0	6 and 17	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:45

L20	6	2 near 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:48
L21	112229	supply adj line\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:48
L22	113	2 near 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:49
L23	1	11 and 22	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:50
L24	736	1 near 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:51
L25	69	11 and 24	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:54
L26	53642	gradation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:55
L27	390	13 and 26	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 13:56
L28	28	27 and OLED	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:41
L29	28	28 and (13 14)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:45

L30	1422	area near gradation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 14:46
L31	55	30 and ( 13 14 )	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:29
L32	1980513	sensor detector	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:29
L33	2198741	sensor\$1 detector\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:30
L34	2198789	31 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:30
L35	7	31 and 33	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:36
L36	81903	photodiode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:36
L37	18837	photo adj diode\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:37
L38	1	31 and 36	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:38
L39	0	31 and 37	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/22 16:38

EAST - [0.wsp:1]

FileViewEditToolsWindowHelp

L20: (6) 2 near 4

L21: (112229) supply adj line\$1

L22: (113) 2 near 21

L23: (1) 11 and 22

L24: (736) 1 near 21

L25: (69) 11 and 24

L26: (53642) gradation

L27: (390) 13 and 26

L28: (28) 27 and OLED

L29: (28) 28 and (13 14)

L30: (1422) area near gradation

L31: (55) 30 and (13 14)

L32: (1980513) sensor detector

L33: (2198741) sensor\$1 detector\$1

L34: (2198789) 31 33

L35: (7) 31 and 33

L36: (81903) photodiode\$1

L37: (18837) photo adj diode\$1

L38: (1) 31 and 36

L39: (0) 31 and 37

Search

Filter

Advanced

Clear

DBs: USFCRUB,USPAT,EPQ,JPO,DERWENT,IBM,TOB

Default operator: OR

31 and 37

12/22/2004

TTN

BRS form

YSR form

Image

Text

HTML

U1

Document ID

Issue Date

Pages

Title

Current OR

Current XRef

Retrieval Cla

Inventor

S

C

P

23

Image Doc

File

Details

HTML

Ready

NUM

EAST - [0.wsp:1]

FileViewEditToolsWindowHelp

Drafts

Pending

Active

L1: (2666443) plurality

L2: (1431441) multiple

L3: (4852) voltage adj lines

L4: (23855) voltage adj line\$1

L5: (59748) power adj line\$1

L6: (504) 1 near 5

L7: (62) 6 and LED

L9: (49) 6 and pixel\$1

L8: (142) 6 and display

L10: (27187) light adj emitting adj device

L11: (265604) pixel\$1

L12: (3186) 10 and 11

L13: (5676) sub adj pixel\$1

L14: (2724) subpixel\$1

L15: (175) 10 and 13

L16: (0) 6 and 15

L17: (175) 10 and 15

L18: (175) 11 and 17

L19: (0) 6 and 17

L20: (6) 2 near 4

L21: (112229) supply adj line\$1

L22: (113) 2 near 21

L23: (1) 11 and 22

L24: (736) 1 near 21

L25: (69) 11 and 24

L26: (53642) gradation

DBs: JUSPCPLB; USPAT; EPD; JPD; DERWENT; IHW; IDB

Default operator: OR

31 and 37

12/22/2004 TJN

BRS form

ISAF form

Image

Text

HTML

U1Document IDIssue DatePagesTitleCurrent ORCurrent XRefRetrieval ClaInventorS C P23Image Doc

Ready

NUM